

Author Index,¹ 1984

The Telecommunications and Data Acquisition Progress Report

42-77, January–March, May 15, 1984

42-78, April–June, August 15, 1984

42-79, July–September, November 15, 1984

42-80, October–December, February 15, 1985

Aguirre, S.

42-78 Coherent Digital Demodulation of a Residual Carrier Signal Using IF Sampling, pp. 135-142.

See Sfeir, R.

42-79 Design and Performance of Sampled Data Loops for Subcarrier and Carrier Tracking, pp. 81-95.

S. Aguirre and W. J. Hurd

Allen, S. L.

42-78 Earth Orientation Effects on Mobile VLBI Baselines, pp. 202-215.

Bathker, D. A.

42-80 Microwave Surface Resistivity of Several Materials at Ambient Temperature, pp. 8-11.

See Reilly, H. F.

Bautista, J. J.

42-79 Superconducting NbTi and Pb(Cu) Bandpass Filters, pp. 62-68.

J. J. Bautista and S. M. Petty

42-80 Microwave Surface Resistivity of Several Materials at Ambient Temperature, pp. 8-11.

See Reilly, H. F.

Bhanji, A. M.

42-78 High Power Ka-Band Transmitter for Planetary Radar and Spacecraft Uplink, pp. 24-48.

A. M. Bhanji, D. J. Hoppe, R. W. Hartop, E. W. Stone, W. A. Imbriale, D. Stone, and M. Caplan

42-80 The Effects of Mode Impurity on Ka-Band System Performance, pp. 12-23.

See Hoppe, D. J.

Brazil, S.

42-78 Intermodulation Product Levels in Flame-Sprayed Materials, pp. 79-98.

See Yung, C. S.

Brokl, S. S.

42-77 Demodulator and Accumulator for the High-Speed Data Acquisition System, pp. 97-103.

42-77 The Goldstone R/D High Speed Data Acquisition System, pp. 87-96.

See Deutsch, L.

Caplan, M.

42-78 High Power Ka-Band Transmitter for Planetary Radar and Spacecraft Uplink, pp. 24-48.

See Bhanji, A. M.

Chang, J. J.

42-79 VLSI Architectures for the Multiplication of Integers Modulo a Fermat Number, pp. 136-141.

J. J. Chang, T. K. Truong, I. S. Reed, and I. S. Hsu

¹In the case of joint authorship, the reader is referred to the citation under the first author where all authors of the article are listed.

Chian, C. T.

- 42-78 NASTRAN Structural Model for the Large 64-Meter Antenna Pedestal Part III – Applications to Hydrostatic Bearing Oil Film, pp. 172-183.

C. T. Chian and D. Schonfeld

Cormier, R.

- 42-79 Development and Testing of a 20-kW X-Band Transmitter With High Phase Stability, pp. 47-61.

R. Cormier and T. Tesarek

Davidson, J. M.

- 42-80 Utilization of Mobile VLBI for Geodetic Measurements, pp. 248-266.

J. M. Davidson and D. W. Trask

Deardorff, D. D.

- 42-78 Magnetic Refrigeration Development, pp. 49-58.

D. D. Deardorff and D. L. Johnson

Deutsch, L.

- 42-77 The Goldstone R/D High Speed Data Acquisition System, pp. 87-96.

L. Deutsch, R. F. Jurgens, and S. S. Brokl

- 42-77 Effects of NRZ-M Modulation on Convolution Codes Performance, pp. 33-40.

L. Deutsch, F. Pollara, and L. Swanson

- 42-80 Reed-Solomon Code Synchronization Revisited, pp. 91-96.

Duff, L. W.

- 42-78 64-m Antenna Automatic Subreflector Focusing Controller, pp. 73-78.

See Guiar, C. N.

Eubanks, T. M.

- 42-80 The Accuracy of Radio Interferometric Measurements of Earth Rotation, pp. 229-235.

T. M. Eubanks, J. A. Steppe, and M. A. Spieth

Fanselow, J. L.

- 42-79 VLBI Solutions for the Time Variation of DSN Baselines: 1978 to 1983, pp. 25-34.

See Treuhaft, R. N.

Farazian, K. H.

- 42-79 Programmable Digital Baud Integrators for the Radar High-Speed Data Acquisition System, pp. 142-151.

K. H. Farazian and R. F. Jurgens

Faulkner, J.

- 42-80 Arcsecond Positions for Milliarsecond VLBI Nuclei of Extragalactic Radio Sources, Part III: 74 Sources, pp. 1-7.

See Morabito, D. D.

Galindo-Israel, V.

- 42-80 Interpolation Methods for GTD Analysis of Shaped Reflectors, pp. 62-67.

V. Galindo-Israel, W. Imbriale, Y. Rahmat-Samii, and T. Veruttipong

Gordon, D. D.

- 42-79 Mark IVA DSN 26-Meter Subnet, pp. 152-159.

Gosline, R. M.

- 42-77 DSS 13 Microprocessor Antenna Controller, pp. 64-74.

Greenhall, C. A.

- 42-77 Time Interval Errors of a Flicker-Noise Generator, pp. 126-135.

Grimm, M. J.

- 42-78 A Simple Algorithm for the Metric Traveling Salesman Problem, pp. 108-114.

Guiar, C. N.

- 42-78 64-m Antenna Automatic Subreflector Focusing Controller, pp. 73-78.

C. N. Guiar and L. W. Duff

- 42-78 Potential Surface Improvements by Bump Removal for 64-m Antenna, pp. 59-72.
See Katow, S.
- Gulkis, S.**
- 42-77 Note on the Optimum Search Strategy for Uniformly Distributed CW Transmitters, pp. 144-150.
- Ham, N. C.**
- 42-79 VLBI System (BLK I) IF-Video Down Conversion Design, pp. 172-188.
- Hartop, R. W.**
- 42-78 High Power Ka-Band Transmitter for Planetary Radar and Spacecraft Uplink, pp. 24-48.
See Bhanji, A. M.
- Hoppe, D. J.**
- 42-78 High Power Ka-Band Transmitter for Planetary Radar and Spacecraft Uplink pp. 24-48.
See Bhanji, A. M.
- 42-80 The Effects of Mode Impurity on Ka-Band System Performance, pp. 12-23.
D. J. Hoppe, W. A. Imbriale, and A. M. Bhanji
- Hsu, I. S.**
- 42-79 VLSI Architectures for the Multiplication of Integers Modulo a Fermat Number, pp. 136-141.
See Chang, J. J.
- Hughes, R. D.**
- 42-80 Design Procedure for the New 70-Meter Antenna Subreflector Positioner, pp. 68-82.
- 42-80 Subreflector Focusing Techniques Applied to New DSS-15 and DSS-45 34-Meter Antennas, pp. 83-90.
R. D. Hughes and M. S. Katow
- Hurd, W. J.**
- 42-78 Symbol-Stream Combiner: Description and Demonstration Plans, pp. 115-121.
W. J. Hurd, L. J. Reder, and M. D. Russell
- 42-78 Coherent Digital Demodulation of a Residual Carrier Signal Using IF Sampling, pp. 135-142.
See Sfeir, R.
- 42-79 Design and Performance of Sampled Data Loops for Subcarrier and Carrier Tracking, pp. 81-95.
See Aguirre, S.
- 42-79 Improved Carrier Tracking by Smoothing Estimators, pp. 96-106.
See Pomalaza Raez, C. A.
- Imbriale, W. A.**
- 42-78 High Power Ka-Band Transmitter for Planetary Radar and Spacecraft Uplink, pp. 24-48.
See Bhanji, A. M.
- 42-80 Interpolation Methods for GTD Analysis of Shaped Reflectors, pp. 62-67.
See Galindo-Israel, V.
- 42-80 The Effects of Mode Impurity on Ka-Band System Performance, pp. 12-23.
See Hoppe, D. J.
- Jauncey, D. L.**
- 42-77 Arcsecond Positions for Milliarcsecond VLBI Nuclei of Extragalactic Radio Sources, Part II: 207 Sources, pp. 1-11.
See Morabito, D. D.
- 42-80 Arcsecond Positions for Milliarcsecond VLBI Nuclei of Extragalactic Radio Sources, Part III: 74 Sources, pp. 1-7.
See Morabito, D. D.
- Johnson, D. L.**
- 42-78 Magnetic Refrigeration Development, pp. 49-58.
See Deardorff, D. D.
- Jurgens, R. F.**
- 42-77 The Goldstone R/D High Speed Data Acquisition System, pp. 87-96.
See Deutsch, L.

- 42-79 Programmable Digital Baud Integrators for the Radar High-Speed Data Acquisition System, pp. 142-151.
See Farazian, K. H.
- Katow, M. S.**
- 42-78 Potential Surface Improvements by Bump Removal for 64-m Antenna, pp. 59-72.
S. Katow and C. N. Guiar
- 42-80 Subreflector Focusing Techniques Applied to New DSS-15 and DSS-45 34-Meter Antennas, pp. 83-90.
See Hughes, R. D.
- Koerner, M. A.**
- 42-77 Effect of RF Filtering on the Performance of Uncoded PCM/PM Telemetry Channels, pp. 104-125.
- Koscielski, C. G.**
- 42-78 Mojave Base Station Implementation, pp. 216-223.
- Lansing, F.**
- 42-78 Intermodulation Product Levels in Flame-Sprayed Materials, pp. 79-98.
See Yung, C. S.
- Lanyi, G.**
- 42-78 Tropospheric Delay Effects in Radio Interferometry, pp. 152-159.
- Lee, G.**
- 42-77 Magnetically Enhanced Hydrogen Gas Dissociator: A Progress Report, pp. 19-23.
G. Lee, T. K. Tucker, and L. Maleki
- Lee, P. J.**
- 42-77 New Short Constraint Length, Rate $1/N$ Convolution Codes Which Minimize Required E_b/N_o for Given Bit Error Rate, pp. 41-56.
- 42-79 Analysis of a Coded, M -ary Orthogonal Input Optical Channel With Random-Gain Photomultiplier Detection, p. 107-113.
- 42-79 A Very Efficient Transfer Function Bounding Technique on Bit Error Rate for Viterbi Decoded, Rate $1/N$ Convolutional Codes, pp. 114-123.
- 42-80 Further Results on Rate $1/N$ Convolutional Code Constructions With Minimum Required SNR Criterion, pp. 97-102.
- Levy, R.**
- 42-78 Optimization of Antenna Structure Design, pp. 9-23.
- 42-80 Condensed Antenna Structural Models for Dynamics Analysis, pp. 40-61.
- Liewer, K. M.**
- 42-79 VLBI Solutions for the Time Variation of DSN Baselines: 1978 to 1983, pp. 25-34.
See Treuhaft, R. N.
- Linfield, R. P.**
- 42-80 Arcsecond Positions for Milliarcsecond VLBI Nuclei of Extragalactic Radio Sources, Part III: 74 Sources, pp. 1-7.
See Morabito, D. D.
- Lokshin, A.**
- 42-77 An Investigation of the Effects of Scan Separation on the Sensitivity of the SETI All Sky Survey for the Case of Gaussian Noise, pp. 151-158.
A Lokshin and E. T. Olsen
- Maleki, L.**
- 42-77 Magnetically Enhanced Hydrogen Gas Dissociator: A Progress Report, pp. 19-23.
See Lee, G.
- Marshall, W. K.**
- 42-80 Detection and Symbol Synchronization for Multiple-Bit per Photon Optical Communications, pp. 24-30.
- McClure, D. H.**
- 42-79 64-Meter to 70-Meter Antenna Extension, pp. 160-164.
D. H. McClure and F. D. McLaughlin

McEliece, R. J.

- 42-77 An Easy-to-Implement Coding Scheme for Multi-frequency PPM, pp. 57-63.
R. J. McEliece and L. Swanson

McGinness, H. D.

- 42-80 Antenna Axis Drive Torques for the 70-Meter Antenna, pp. 121-126.
- 42-80 Characteristics of the Elevation Drive Suspension of the 64-Meter Antennas, pp. 146-175.
- 42-80 Elevation Bearing Maximum Load, 70-Meter Antenna, pp. 142-145.
- 42-80 An Evaluation of the 64-Meter Antenna Radial Bearing for Use on the 70-Meter Antenna, pp. 127-141.
- 42-80 Hydrostatic Bearing Pad Maximum Load and Overturning Conditions for the 70-Meter Antenna, pp. 176-179.

McLaughlin, F. D.

- 42-79 64-Meter to 70-Meter Antenna Extension, pp. 160-164.
See McClure, D. H.

Meeker, J. G.

- 42-77 X-Band Uplink Technology Demonstration at DSS-13, pp. 24-32.
J. G. Meeker and C. T. Timpe

Merkey, P.

- 42-78 GCF Compatibility With Packets and Data Compression, pp. 199-201.
See Posner, E. C.

Mileant, A.

- 42-80 Performance of the DSA's Subcarrier Demodulation Digital Loop, pp. 180-194.
See Simon, M. K.

Moore, R. C.

- 42-80 Historical Cost Curves for Hydrogen Masers and Cesium Beam Frequency and Timing Standards, pp. 220-228.
See Remer, D. S.

Morabito, D. D.

- 42-77 Submilliarcsecond VLBI Observations of the Close Pair GC 1342+662 and GC 1342+663, pp. 12-18.
- 42-77 Arcsecond Positions for Milliarcsecond VLBI Nuclei of Extragalactic Radio Sources, Part II: 207 Sources, pp. 1-11.
D. D. Morabito, R. A. Preston, M. A. Slade, D. L. Jauncey, and G. D. Nicolson
- 42-79 Submilliarcsecond VLBI Using Compact Close Pairs of Radio Sources: Error Analysis, pp. 1-16.
- 42-80 Arcsecond Positions for Milliarcsecond VLBI Nuclei of Extragalactic Radio Sources, Part III: 74 Sources, pp. 1-7.
D. D. Morabito, R. A. Preston, R. P. Linfield, M. A. Slade, A. E. Wehrle, J. Faulkner, and D. L. Jauncey

Moultrie, B.

- 42-79 The Performance of Differential VLBI Delay During Interplanetary Cruise, pp. 35-46.
B. Moultrie, P. J. Wolff, and T. H. Taylor

Nicolson, G. D.

- 42-77 Arcsecond Positions for Milliarcsecond VLBI Nuclei of Extragalactic Radio Sources, Part II: 207 Sources, pp. 1-11.
See Morabito, D. D.

Niell, A. E.

- 42-79 VLBI Solutions for the Time Variation of DSN Baselines: 1978 to 1983, pp. 25-34.
See Treuhaft, R. N.

Olsen, E. T.

- 42-77 An Investigation of the Effects of Scan Separation on the Sensitivity of the SETI All Sky Survey for the Case of Gaussian Noise, pp. 151-158.
See Lokshin, A.

- Parsons, P. L.**
42-79 Antenna Microwave Subsystem, pp. 165-171.
- Petty, S. M.**
42-79 Superconducting NbTi and Pb(Cu) Bandpass Filters, pp. 62-68.
See Bautista, J. J.
- Pollara, F.**
42-77 Effects of NRZ-M Modulation on Convolution Codes Performance, pp. 33-40.
See Deutsch, L.
- Pomalaza Raez, C. A.**
42-79 Improved Carrier Tracking by Smoothing Estimators, pp. 96-106.
C. A. Pomalaza Raez and W. J. Hurd
- Posner, E. C.**
42-77 Minimum-Distance Problems in Protocol Design, pp. 136-143.
E. C. Posner and Z. Reichstein
42-77 TDA Assessment of Recommendations for Space Data System Standards, pp. 75-84.
E. C. Posner and R. Stevens
42-78 GCF Compatibility With Packets and Data Compression, pp. 199-201.
E. C. Posner and P. Merkey
42-80 Codes With Parity Conditions on Subsets of Coordinates, pp. 236-247.
E. C. Posner and Z. Reichstein
- Preston, R. A.**
42-77 Arcsecond Positions for Milliarsecond VLBI Nuclei of Extragalactic Radio Sources, Part II: 207 Sources, pp. 1-11.
See Morabito, D. D.
42-80 Arcsecond Positions for Milliarsecond VLBI Nuclei of Extragalactic Radio Sources, Part III: 74 Sources, pp. 1-7.
See Morabito, D. D.
- 42-80 The Venus Balloon Project, pp. 195-201.
R. A. Preston, J. H. Wilcher, and C. T. Stelzried
- Rahmat-Samii, Y.**
42-80 Interpolation Methods for GTD Analysis of Shaped Reflectors, pp. 62-67.
See Galindo-Israel, V.
- Rauch, L. L.**
42-79 On Estimating the Phase of a Periodic Waveform in Additive Gaussian Noise — Part II, pp. 17-24.
- Reder, L. J.**
42-78 Symbol-Stream Combiner: Description and Demonstration Plans, pp. 115-121.
See Hurd, W. J.
- Reed, I. S.**
42-78 Error-Trellis Syndrome Decoding Techniques for Convolutional Codes, pp. 122-134.
I. S. Reed and T. K. Truong
42-79 VLSI Architectures for the Multiplication of Integers Modulo a Fermat Number, pp. 136-141.
See Change, J. J.
42-79 Sequential Syndrome Decoding of Convolutional Codes, pp. 124-135.
I. S. Reed and T. K. Truong
- Reichstein, Z.**
42-77 Minimum-Distance Problems in Protocol Design, pp. 136-143.
See Posner, E. C.
42-80 Codes With Parity Conditions on Subsets of Coordinates, pp. 236-247.
See Posner, E. C.
- Reilly, H. F.**
42-80 Microwave Surface Resistivity of Several Materials at Ambient Temperature, pp. 8-11.
H. F. Reilly, J. J. Bautista, and D. A. Bathker

Remer, D. S.

42-80 Historical Cost Curves for Hydrogen Masers and Cesium Beam Frequency and Timing Standards, pp. 220-228.

D. S. Remer and R. C. Moore

Riewe, Jr., A. A.

42-78 Investigation and Rehabilitation to Extend Service Life of DSS-13 Antenna Concrete Foundation, pp. 160-171.

Russell, M. D.

42-78 Symbol-Stream Combiner: Description and Demonstration Plans, pp. 115-121.

See Hurd, W. J.

Schonfeld, D.

42-78 NASTRAN Structural Model for the Large 64-Meter Antenna Pedestal Part III – Applications to Hydrostatic Bearing Oil Film, pp. 172-183.

See Chian, C. T.

Sfeir, R.

42-78 Coherent Digital Demodulation of a Residual Carrier Signal Using IF Sampling, pp. 135-142.

R. Sfeir, S. Aguirre, and W. J. Hurd

Simon, M. K.

42-80 Performance of the DSA's Subcarrier Demodulation Digital Loop, pp. 180-194.

M. K. Simon and A. Mileant

Sipes, Jr., D. L.

42-80 Highly Efficient Nd:YAG Lasers for Free-Space Optical Communications, pp. 31-39.

Slade, M. A.

42-77 Arcsecond Positions for Milliarcsecond VLBI Nuclei of Extragalactic Radio Sources, Part II: 207 Sources, pp. 1-11.

See Morabito, D. D.

42-80 Arcsecond Positions for Milliarcsecond VLBI Nuclei of Extragalactic Radio Sources, Part III: 74 Sources, pp. 1-7.

See Morabito, D. D.

Slobin, S. D.

42-80 DSN 34-Meter Antenna Optics Analysis for Wide-band SETI Investigations, pp. 202-219.

Sovers, O. J.

42-79 VLBI Solutions for the Time Variation of DSN Baselines: 1978 to 1983, pp. 25-34.

See Treuhaft, R. N.

Spieth, M. A.

42-80 The Accuracy of Radio Interferometric Measurements of Earth Rotation, pp. 229-235.

See Eubanks, T. M.

Stelzried, C. T.

42-80 The Venus Balloon Project, pp. 195-201.

See Preston, R. A.

Steppe, J. A.

42-80 The Accuracy of Radio Interferometric Measurements of Earth Rotation, pp. 229-235.

See Eubanks, T. M.

Stevens, G. L.

42-78 A High-Performance Hybrid RF Isolation Amplifier, pp. 1-8.

Stevens, R.

42-77 TDA Assessment of Recommendations for Space Data System Standards, pp. 75-84.

See Posner, E. C.

42-78 Availability of the DSN Telemetry Data System and Its Major Elements, Including the TWM Assemblies, pp. 184-191.

42-78 A Study of DSN Traveling Wave Maser System Reliability, pp. 192-198.

R. Stevens and C. P. Wiggins

- Stoller, F.**
42-78 Intermodulation Product Levels in Flame-Sprayed Materials, pp. 79-98.
See Yung, C. S.
- Stone, D.**
42-78 High Power Ka-Band Transmitter for Planetary Radar and Spacecraft Uplink, pp. 24-48.
See Bhanji, A. M.
- Stone, E. W.**
42-78 High Power Ka-Band Transmitter for Planetary Radar and Spacecraft Uplink, pp. 24-48.
- Swanson, L.**
42-77 Effects of NRZ-M Modulation on Convolution Codes Performance, pp. 33-40.
See Deutsch, L.
42-77 An Easy-to-Implement Coding Scheme for Multi-frequency PPM, pp. 57-63.
See McEliece, R. J.
42-78 A Strategy for Successful Deep Space Information Transmission in Bad Weather, pp. 143-151.
L. Swanson and J. H. Yuen
- Tan, H. H.**
42-79 Avalanche Photodiode Statistics in Triggered-Avalanche Detection Mode, pp. 69-80.
- Tausworthe, R. C.**
42-80 Concepts and Tools for the Software Life Cycle, pp. 103-120.
- Taylor, T. H.**
42-79 The Performance of Differential VLBI Delay During Interplanetary Cruise, pp. 35-46.
See Moultrie, B.
- Tesarek, T.**
42-79 Development and Testing of a 20-kW X-Band Transmitter With High Phase Stability, pp. 47-61.
See Cormier, R.
- Thomas, J. B.**
42-79 VLBI Solutions for the Time Variation of DSN Baselines: 1978 to 1983, pp. 25-34.
See Treuhaft, R. N.
- Timpe, C. T.**
42-77 X-Band Uplink Technology Demonstration at DSS-13, pp. 24-32.
See Meeker, J. G.
- Trask, D. W.**
42-80 Utilization of Mobile VLBI for Geodetic Measurements, pp. 248-266.
See Davidson, J. M.
- Treuhaft, R. N.**
42-79 VLBI Solutions for the Time Variation of DSN Baselines: 1978 to 1983, pp. 25-34.
R. N. Treuhaft, J. L. Fanselow, K. M. Liewer, A. E. Niell, O. J. Sovers, J. B. Thomas, and K. S. Wallace
- Truong, T. K.**
42-78 Error-Trellis Syndrome Decoding Techniques for Convolutional Codes, pp. 122-134.
See Reed, I. S.
42-79 VLSI Architectures for the Multiplication of Integers Modulo a Fermat Number, pp. 136-141.
See Chang, J. J.
42-79 Sequential Syndrome Decoding of Convolutional Codes, pp. 124-135.
See Reed, I. S.
- Tucker, T. K.**
42-77 Magnetically Enhanced Hydrogen Gas Dissociator: A Progress Report, pp. 19-23.
See Lee, G.
- Veruttipong, T.**
42-80 Interpolation Methods for GTD Analysis of Shaped Reflectors, pp. 62-67.
See Galindo-Israel, V.

Vo, Q. D.

- 42-78 Performance Simulation for Unit-Memory Convolutional Codes With Byte-Oriented Viterbi Decoding Algorithm, pp. 99-107.

Wallace, K. S.

- 42-79 VLBI Solutions for the Time Variation of DSN Baselines: 1978 to 1983, pp. 25-34.

See Treuhaft, R. N.

Wehrle, A. E.

- 42-80 Arcsecond Positions for Milliarcsecond VLBI Nuclei of Extragalactic Radio Sources, Part III: 74 Sources, pp. 1-7.

See Morabito, D. D.

Wiggins, C. P.

- 42-78 A Study of DSN Traveling Wave Maser System Reliability, pp. 192-198.

See Stevens, R.

Wilcher, J. H.

- 42-80 The Venus Balloon Project, pp. 195-201.

See Preston, R. A.

Wolff, P. J.

- 42-79 The Performance of Differential VLBI Delay During Interplanetary Cruise, pp. 35-46.

See Moultrie, B.

Yuen, J. H.

- 42-78 A Strategy for Successful Deep Space Information Transmission in Bad Weather, pp. 143-151.

See Swanson, L.

Yung, C. S.

- 42-78 Intermodulation Product Levels in Flame-Sprayed Materials, pp. 79-98.

C. S. Yung, F. Stoller, F. Lansing, and S. Brazil